



Government of Mizoram  
**MIZORAM STATE SPORTS COUNCIL**

D-24, M.G Road, Upper Khatla, Aizawl-796001



Website : [www.sportscouncil.mizoram.gov.in](http://www.sportscouncil.mizoram.gov.in)

Email : [mssc1976@gmail.com](mailto:mssc1976@gmail.com)

Phone : 0389 - 2322846

Fax : 0389 - 2319381


**NOTICE INVITING QUOTATION**

Dated Aizawl, the 30<sup>th</sup> November 2021

**No. PP-186/MSSC/2021:** Sealed Quotations are invited on behalf of the Mizoram State Sports Council from Government registered firms and authorized dealers for fixation of rates for supply of Sports Equipments as per Terms and Conditions. Details can be seen in the office of the Secretary, Mizoram State Sports Council, Aizawl, Mizoram, on all working days during office hours. Specifications and other details can also be seen in the Department website at <https://sportscouncil.mizoram.gov.in>

The Quotation will be received by the undersigned upto **12:00 Noon** on **13<sup>th</sup> December 2021**, and will be opened on the same day at **1:00 P.M.** in the Office Chamber of the Secretary, Mizoram State Sports Council, Aizawl, Mizoram.

The Quotations submitted by Non-Tribals should be affixed with Court Fee Stamp worth Rs.7.50, and Income Tax Clearance Certificate and General Service Tax Clearance certificate should accompany the tender. Quotations submitted by Scheduled Tribe Quotationers residing in Mizoram should be accompanied by House Tax Payee Certificate and General Service Tax Clearance Certificate.



(JOHN TANPUIA)

Secretary

Mizoram State Sports Council

Mizoram : Aizawl.

Memo No. PP-186/MSSC/2021/ : Dated Aizawl, the 30<sup>th</sup> November 2021  
Copy to :-

1. P.S. to Minister, Sports and Youth Services Department for information of Minister.
- ✓ 2. Web Manager, MSSC for uploading on MSSC website
3. Notice Board

Secretary

Mizoram State Sports Council

Mizoram : : Aizawl



## TERMS AND CONDITIONS

### For fixation of rates and selection of Supplier for Sports Equipments

1. Earnest Money at the rate of **2% to 5%** of the bid amount in the form of Deposit at call Receipt/Fixed Deposit Receipt from Scheduled Banks or fresh Post Office Saving Certificate, duly pledged in the name of the Secretary, Mizoram State Sports Council, Mizoram, Aizawl should be enclosed with the quotation. Earnest Money in cash will not be accepted under any circumstances. Quotations received without Earnest Money will be summarily rejected. Local Scheduled Tribe Quotationers will have to deposit 50% (fifty percent) of amount fixed as Earnest Money in the enclosed Schedule. The Quotations submitted by Non-Tribal shall be affixed with court fee stamp worth Rs. 7.50 (Rupees seven and fifty paise) only. Quotation submitted by Scheduled Tribe Quotationers should be accompanied with House Tax Payee Certificate. Earnest Money will be liable to forfeiture in case the successful Quotationer(s) fail to execute an agreement within a month from the date of issue of communication regarding acceptance of his/her/their tender. Withdrawal/amendment of Quotation(s) after closing of the tender box will not be allowed and will be liable to forfeiture of Earnest Money.
2. The cover of the Quotation should be prominently superscripted as **'QUOTATION FOR FIXATION OF RATES FOR SUPPLY OF SPORTS EQUIPMENTS'** and should be addressed to the Secretary, Mizoram State Sports Council Mizoram, Aizawl. Tender box marked **"Tender Box for Supply of Sports Equipments"** for dropping of quotation shall be placed at **the office of the Secretary, Mizoram State Sports Council** from the date of issue of this Quotation Notice for receiving the Quotations. The Quotations can also be submitted by courier/registered post in sealed envelopes with acknowledgement due. Late tenders will be summarily rejected. No responsibility will be taken for postal delay or non-delivery/non-receipt of Tender documents. Quotations sent by FAX or e-mail will not be considered. The Secretary, Mizoram State Sports Council will not be responsible for loss, delay or late receipt of the Quotation documents.
3. Quotations as prescribed by the Department herewith appended at **Annexure-III**, shall have to be submitted to the Secretary, Mizoram State Sports Council on or before **13<sup>th</sup> December 2021 up to 12:00 Noon** and



will be opened by him on the same day at **1:00 PM**. Quotationers (s) or their authorized representatives are advised to be present at the time of opening of Quotations. Form of the Tender can be had from the office of the Secretary, Mizoram State Sports Council on any working day. Quotations submitted in a form other than the form supplied by the office will not be accepted.

4. Details of Sports Equipments will be as stated in **Annexure-II**. Quotationer(s) will be at liberty to quote the rates for any or all of the items mentioned therein. Rate of the items should be quoted both in figures and words. Rates for supply and Suppliers shall be fixed and selected separately for each item.
5. The Quotationer(s) should quote the rate of equipments in terms of 'Per Number', 'Per piece' or 'per metre' as the case may be. All corrections/alterations in the Quotation should be attested by putting full signature by the Quotationer(s). The selected Supplier(s) will bear the cost of transportation to the destination.
6. The Department of Sports and Youth Services, Mizoram is in no way bound to accept the lowest or any of the Quotations and reserves the right to accept or reject any of the Quotations without assigning any reason thereof.
7. Rates quoted for any of the items should be inclusive of any Central or State Government taxes payable by the Supplier and no extra charges will be paid at the time of supply. No increase in price because of any statutory increase in or fresh imposition of custom duty, excise duty, or any other tax or duty levied in respect of the items will be accepted after the Quotation is submitted
8. The place of delivery of all items will be at the Office of the Secretary, Mizoram State Sports Council Mizoram, Aizawl or at any other location within Aizawl city, to be specified from time to time.
9. The Quotationer(s) whose rates / rate is/ are approved should be able to deliver the required quantities of the said item at short notice and not later than 30 days from date of issue of supply order.



10. During the period of validity of the rates and selected Supplier, it shall not be open to the Supplier to ask for higher or other rate due to increase in their procurement prices or any other unforeseen eventuality. Government may entertain such applications if made on justifiable grounds. and may either accept or reject the applications as it may deem fit. If Government rejects such an application, the Supplier will be bound to supply the items at the existing approved rate during the validity period.
11. Validity of rates and suppliers shall be for a period of one year, extendable by 6 (Six) months, from the date of approval of rates and Suppliers recommended by the Departmental Purchase Advisory Board, Mizoram State Sports Council.
12. The Quotationer(s) should produce samples of all items. However, brochures clearly showing the item would suffice for bulky items such as Table Tennis Boards, Basketball board, mattress etc. The samples should be firmly affixed with a card stating the Serial No. of the sample as per list in Annexure - II, name of the item and name of the Quotationer (s). The sample should be produced in the office of the Secretary, Mizoram State Sports Council, on or before the closing date. Quotationers should also produce along with their quotations, all relevant literature - documents, brochures etc. connected to the rates of items quoted.
13. To avoid delay and lengthy process of selection, a Technical Committee under the Chairmanship of the Secretary, Mizoram State Sports Council and having the following members - Sports Promotion Officer/Administrative Officer and Coaches of the MSSC and of the concerned sports disciplines, shall inspect all samples with regard to its genuineness, conformity to specifications etc. The committee will submit its findings with its recommendations to the Departmental Purchase Advisory Committee for its consideration.
14. The Secretary, Mizoram State Sports Council shall have the power to terminate the appointment of any Supplier or Supply Order for unsatisfactory performance or for any reasons, at any time, to be recorded in writing, during the pendency of the supply/contract after giving 15 (Fifteen) days notice to the supplier.



15. The quantity required for each item is not fixed and will depend upon the requirement of the office. It shall not be binding upon the Mizoram State Sports Council to procure any or all of the equipments listed in **Annexure - I** from the selected Supplier.
16. The successful Quotationer(s) should supply the equipments conforming to the sample produced by him/her. Any items not conforming to the specifications or approved brand, shall have to be replaced by the Supplier at his/her own expenses.
17. The complete process of tendering, fixation of rates and procurement will be as per the Guidelines issued by the Government of Mizoram for Regulating Supply and Purchase of Materials, 2013, as amended and from time to time, the General Financial Rules, 2017 as amended from time to time and any other relevant rules applicable in the State of Mizoram.
18. All disputes or differences arising out of or in connection with the contract shall be settled by bilateral discussions. Any dispute, disagreement or question arising out of or relating to the contract or relating to performance, which cannot be settled amicably, shall be resolved by arbitration. (In this case Governor, State of Mizoram will be final arbitrator). The place of such arbitration shall be at Aizawl, Mizoram.



## QUOTATION FOR FIXATION OF RATE FOR SUPPLY OF SPORTS EQUIPMENTS

To,

The Secretary  
Mizoram State Sports Council  
Mizoram, Aizawl.

Sir,

I/We have the honour to submit herewith Quotation for fixation of rate for supply of sports equipments as per Quotation Notice issued under No.PP-186/MSSC/2021 dt. 30.th November 2021 by Secretary, Mizoram State Sports Council.

I/We hereby agree to abide by the terms and conditions of the Quotation Notice and bind myself/ourselves to honour the order of the Secretary, Mizoram State Sports Council, Mizoram, Aizawl or any Officer/Officers authorized by him on that behalf, to fulfill the contractual obligations during the full period of the currency of the contract.

**The following documents are enclosed:**

**(A) For scheduled Tribe Tenderers.**

Photo copy will not be accepted unless duly attested by the Gazetted Officer)

- 1) House Tax Payee Certificate
- 2) General Service Tax Clearance Certificate
- 3) Tribe Certificate issued by the District Magistrate or his authorized office.

**(B) For Non Scheduled Tribe Tenderers**

- 1) Court Fee Stamp for Rs. 7.50
- 2) Income Tax Clearance Certificate (original or attested copy)
- 3) Bank Statement(s) showing transaction for the last 6 months.



(C) Earnest Money for Rs. \_\_\_\_\_ vide DCR No. \_\_\_\_\_

(This should be enclosed by Scheduled Tribe & Non-scheduled Tribe Quotationer)

1) Name of Quotationer :

2) Complete Postal Address :

3) Telephone No. :

4) Email id :

(D) Attached Annexure – IV with Quotated Rate (signed and stamped with seal on all pages)

Date : \_\_\_\_\_

Place : \_\_\_\_\_

Name and signature of Quotationer with seal

**ANNEXURE - IV**  
**QUATED RATES OF MATERIALS FOR FIXATION OF RATES FOR SUPPLY OF SPORTS GOODS**

Name of Quotationer : \_\_\_\_\_

Sl.No	Name of Items	Specification	Approved Brand/Firm	Quated Rate (per no./piece/mtr.) in Rupees	Amount in words
1	<b>ATHLETICS</b>				
	1) Javelin	800 grams	ATE		
		700 grams	ATE		
		600 grams	ATE		
		500 grams	ATE		
	2) Discus	2 Kgs	ATE		
		1.75 Kgs	ATE		
		1.50 Kgs	ATE		
		1.00 Kgs	ATE		
	3) Shot put	7.260 Kgs	ATE		
		6.00 Kgs	ATE		
		5.00 Kgs	ATE		
		4.00 Kgs	ATE		
		3.00 Kgs	ATE		
	4) Hurdle	AFI	ATE		
	5) Athletic Short	AFI	NIVIA		
	6) Athletic Banian	AFI	NIVIA		
	7) High Jump Post	AFI	ATE		
	8) High Jump Cross Bar	AFI	ATE		
	9) Starting Gun	AFI	ATE		
	10) Staring Block	AFI	ATE		
	11) Stop Board (Shot Put)	AFI	ATE		
	12) Take Off Board (Long Jump)	AFI	ATE		
	13) Pit Rake (Long & Triple Jump)	AFI	ATE		
	14) High Jump Pit (Dunlop)	AFI	ATE		
	15) Hammer	7.260 Kgs	ATE		
		4.000 Kgs			
	16) Relay Button	AFI	ATE		



2	<b>ARCHERY</b>			
	<b>1. COMPOUND BOW SET TOP MODEL</b>			
	1. Hoyte Compound Bow Invicta?Performx/TRX	Each		
	2. Sight Axcel Carbon	Each		
	3. Sight Scope Beiter	Each		
	4. Long Rod Doinker	Each		
	5. Short Rod Doinker	Pair		
	6. V Bar PSE Adjustable	Each		
	7. Arrow Rest Active Archery	Each		
	8. Kick Stand Ten Ring	Each		
	9. Peep Sight with Lens	Each		
	10. Releaser 3 Finger	Each		
	11. D Loop	Meter		
	12. Quiver Back Fivics	Each		
	13. Release Pouch Fivics	Each		
	14. L Key Set Bondhus	Each		
	15. Bow Case Compound Fivics	Each		
	16. Arrow Shaft x10	Dozen		
	17. x10 Points	Dozen		
	18. Tite Flight Vanes	PKT		
	19. Pin Nock	PKT		
	20. Pin x10	PKT		
	21. Bow Press Portable	Each		
	22. Fletching Jig	Each		
	23. String Wax	Each		
	24. Bow Scale	Each		
	25. Serving Jig Avalon	Each		
	26. Serving Spool BCY	Each		
	27. Spooting Scope with Stand	Each		
	28. String Spool BCY	Each		



2	<b>2. RECURVE BOW SET TOP MODEL</b>			
	1. Handle Win & Win TFT / Nano Max /ATF-X	Each		
	2. Limbs Hoyte NS/MXT	Pair		
	3. Arrow Shaft X10	Dozen		
	4. X10 Points	Dozen		
	5. Long Bar CX 1900 Fivics	Each		
	6. Short Bar CX 1900 Fivics	Pair		
	7. Extension CX 1900 Fivics	Each		
	8. Plunger Button Win & Win	Each		
	9. Sight Shibuya Ultima Carbon	Each		
	10. Clicker Wiawis	Each		
	11. Nocks Beiter	Dozen		
	12. Finger Tap Fivics	Each		
	13. Spin Vanes	PKT		
	14. Damper Weight (3PC Set)	Set		
	15. Steel Weight (3PC Set)	Set		
	16. V Bar Fivics	Each		
	17. L Key Set Bondhus	Each		
	18. Bow Case Fivics Hard Case	Each		
	19. Bow Stand Multi TY	Each		
	20. Quiver Long Fivics / Easton	Each		
	21. Chest Guard Fivics	Each		
	22. Spotting Scope with Stand	Each		
	23. Bow Scale	Each		
	24. String Wax	Each		
	25. String Spool BCY	Each		
	26.. Arm Guard Fivics	Each		
	27. Arrow Rest Magnetic Fivics	Each		
	28. Serving Spool BCY	Each		
	29. Arm Guard Fivics	Each		
	30. Limbs Savers	Pair		
	31. String Savers Flex	Pair		
	32. Arrow Liner Jig Beiter	Each		



2	<b>3. GROUND ITEMS</b>				
	1. Target Buttress Imported	Each			
	Target Buttress Indian (Straw)	Each			
	2. Target Stand 4 Legs	Each			
	3. Target Face 122 CM	Each			
	4. Target Face 80 CM	Each			
	5. Target Face 6 Rings	Each			
	6. Face Pin Imported	Each			
	7. Target Cover	Each			
	8. Target Flags	Each			
	9. TC Flags	Each			
	10. Target Numbers	Pair			
	11. Line Board	Each			
	12. Distance Board	Each			
	13. Ground Tape	Meter			
	14. Target Rope	Meter			
	15. Whistle	Each			
	16. Stop Watch	Each			
2	<b>4. TOOLS AND ACCESSORIES</b>				
	1. String Jig Avalon	Each			
	2. Serving Jig beiter	Each			
	3. Fletching Jig Midas	Each			
	4. Arrow Cutter ACO	Each			
	5. Bow Press Last Chance	Each			
	6. String Spool BCY X	Each			
	7. String Spool Fast Flight	Each			
	8. Serving Spool 3D	Each			
	9. String Spool HALO	Each			
	10. Tool Kit for Indian Round	Set			
	11. Tool Kit for Recurve	Set			
	12. Tool Kit for Compound	Set			
	13. Extra Blade	Each			
	14. Bow Lithium Greese	Each			
	15. Maximal Leveller	Each			
	16. D Loop (100 Feet Roll)	Roll			
	17. Brass Nock	Each			
	18. Nock Plyer Avalon	Each			



2	<b>5. INDIAN BOW ACCESSORIES</b>				
	1. Indian Bow Bamboo with Stabilizer Set	Set			
	2. Indian Arrow Bamboo Good Quality	Each			
	3. Indian Arrow Nocks TRS (50 pc pack)	Pack			
	4. Indian Arrow Fletches TRS (50 pc pack)	Pack			
	5. Indian Arrow Points TRS (50 pc pack)	Pack			
	6. Extre Sting TRS	Each			
	7. Chest Guard TRS	Each			
	8. Quiver TRS	Each			
	9. Bow Bag TRS	Each			
	10. Arm Guard TRS	Each			
	11. Finger Tab TRS	Each			
	12. Sling TRS	Each			
	13. Bow Stand TRS	Each			
	14. Extra Limbs Manipuri Bamboo - TRS	Pair			

3	<b>BADMINTON</b>				
	Badminton Racket (for National/ International Tournament)	BAI	YY Yonex (Voltric Tour 8800)		
		BAI	YY Yonex (Doura 77)		
		BAI	YY Yonex (Astrox 38)		
	Badminton racket India (Normal)	BAI	Koxtan 999		
		BAI	Koxtan Elegan		
		BAI	Cobo		
	1) Shuttle Cock	BAI	Dodo		
		BAI	Coxel F-16		
		BAI	YY As2/ YY As30		



3	2) Badminton Net	BAI	Normal		
		BAI	YY		
	3) Badminton Floor Carpet		<b>Specification</b>		
			Between 4.5mm to 7mm (Thickness)		
			BAI Standard Size		
	4) Badminton Net Pole	BAI	Weight : 17 KG~ 70 KG (each Side)		
			Height : 1.5 Metres		
			Frame Size: < 39 mm		
			Wheels: <75 mm		
			Strong, Durable & Portable		

4	<b>BASKETBALL</b>				
	a) Size 6 Ball	Indoor	Nivia		
		Outdoor			
	b Size 7 Ball	Indoor	Nivia		
		Outdoor			
	c) Net (Thick Type)	BFI	Nivia		
	d) Back Board	BFI	Stag		
	e) Basketball Ring	BFI	Stag		
	f) Ball Trolley	16 balls Sz: (120x102x40)Cm 32 balls Sz:(120x102x30)Cm	Stag		

5	<b>BOARD</b>				
	a) Carrom Board with Dice	Large (29")	N.A		
		Medium			
	b) Draught Board	Large	N.A		
		Medium			
	c) Chinese Checker	Large	N.A		
		Medium			
	d) Chess Board	Large	N.A		
		Medium			
	e) Chess Clock		NA		
	f) DGT Electronic Chess Board	PC/Laptop connect	NA		
	g) Chess Demonstration Board		NA		



6	<b>BOXING</b>				
	a) Glove				
	10 oz	Leather	USI Universal		
		Synthetic			
	8 oz	Leather	USI Universal		
		Synthetic			
	b) Head Guard (M)	Leather	USI Universal		
		Synthetic			
	c) Head Guard (M)	Leather	USI Universal		
		Synthetic			
	d) Punching Bag	Leather	USI Universal		
		Synthetic			
	e) Punching Pad	Leather	USI Universal		
		Synthetic			
	f) Cap Protector/Abdominal Guard	Normal	USI Universal		
	g) Gum Shield	Normal	USI Universal		
	h) Boxing Ring Complete Set	1) 22 Feet Square	USI Universal		
	i) Training / Ground Ring	2) 16 Feet Square	USI Universal		

7	<b>CRICKET</b>				
	a) Cricket Bat	English Willow	S.S/ S.G		
	b) Ball (Leather)	Red	S.S/S.G		
		White			
	c) Stump	BCCI	B.D.M		
	d) Leg Guard	BCCI	S.S/S.G		
	e) Helmet	BCCI	S.S/S.G		
	f) Wicket Keeping Gloves	BCCI	S.S/S.G		
	g) Batting Gloves	BCCI	S.S/S.G		
	h) Cones	BCCI	N.A		
	i) Marker	BCCI	N.A		
	j) Hockey Ball	BCCI	N.A		
	k) Cricket Tennis Ball	BCCI	Cosco		



8	CUP/TROPHY				
	a) Cups	26"	N.A		
		24"	N.A		
		22"	N.A		
		20"	N.A		
		18"	N.A		
		16"	N.A		
		14"	N.A		
		10"	N.A		
		8"	N.A		

9	FENCING				
	a) Electric Foil Complete	FAI	Tanshi, India		
	b) Electric Epee Complete	FAI	Tanshi, India		
	c) Electric Sabre Complete	FAI	Tanshi, India		
	d) Foil/E/S Body Wire Colored/Trans	FAI	Tanshi, India		
	e) Foil/Sabre Mask 350N	FAI	Tanshi, India		
	f) 3 Weapons Gloves	FAI	Tanshi, India		
	g) Fencing Suit	FAI	Tanshi, India		
	h) Full Chest Protector (MW)	FAI	Tanshi, India		

10	FOOTBALL				
	a) Good quality for Tournament	AIFF	Nivia (Shining Star)		
	b) Normal for distribution	AIFF	Cosco		
		AIFF	Nivia		
	c) Football Net	Nylon / Cotton			
	d) Speed Ladder	AIFF	Koxtan		
	e) Marker	AIFF	Koxtan		
		AIFF	Nivia		

10	f) Cones	6"	Koxton		
			Nivia		
		9"	Koxton		
			Nivia		
		12"	Koxton		
			Nivia		
		15"	Koxton		
			Nivia		
		18"	Koxton		
			Nivia		
	g) Bibs	Free Size	Open		
	h) Training Pole	Free Size	Koxton		
	i) Shin Guard	Free Size	Nivia		
		Free Size	Kobo		

11	<b>FUTSAL</b>				
	a) Futsal ball	AIFF	Nivia		
	b) Futsal Goal Net	Nylon / Cotton			

12	<b>HOCKEY</b>				
	a) Hockey Stick	Carbon Fibre	Rakshak		
		Composite Fibre			
		Normal Wooden			
		Full Wooden			
	b) Hockey Ball	Hollow Ball	Rakshak		
		Cyber Ball			
		Dimple Practice Ball			
		Dimple Gold Ball			
	c) Hockey Net	Double Net	Rakshak		
	e) Shin Guard	Expert	Rakshak		
	f) Stocking	Best quality	Rakshak		
	g) Goalkeeper Kit	DBO Style G.K	Rakshak		
		Light Weight Version			
		Economy Version			



13	<b>JUDO</b>				
	a) Judo Mat	14x14 Metres (1.5 Inches Thickness) (JFI/JAI)	Esskay		
	b) Judogi	Large	Greenhill		
		Medium			
		Small			
	c) Dummy	Big	Esskay		
		Small			
	d) Rubber Band for Judo Uchikomi				

14	<b>TABLE TENNIS</b>				
	a) Table Tennis Board		1)Stag 1000DX		
			2) Stag Aspire 16		
	b) Table Tennis Ball		1) Stag 3 Star		
			2) Stag 2 Star		
	c) TT Bat		1) Stag Ninja		
			2) Stag International		
	d) TT Rubber		1) Dicniks Butterfly		
			2) Tenergy (05fx, 05,64)		
			3) Donic(Bluefire M1/M2/M3 Baracuda)		
	e) TT Blade		1) Butterfly		
			2) Donic		
	f) Tools		N.A		
	g) Table Tennis Ball Trolley	30 x 16 x 16	STAG		
	h) TT Robot	1) Single Head 2) Dual Head	STAG		

15	<b>TAEKWONDO</b>			
	a) Shin Guard	Small/Medium	World Taekwondo Federation Approved Brands	
	b) Foot Guard	Small/Medium		
	c) Arm Guard	Small/Medium	1) Adidas	
	4) Gloves	Small/Medium	2) Daedo International	
	e) Groin Guard (Male)	Small/Medium	3) KPNP	
	f) Groin Guard (Female)	Small/Medium	4) Motto	
	g) Taekwondo Shoe		5) Woori Sports	
	h) Punching/Kicking Bag		6) Tusah	
	i) Head Guard	1,2,3	7) Taishan Sports	
	j) Chest Guard	1,2,3	8) TaekwonSport	
	k) Taekwondo Uniform(Clima Cool)	150cm-180cm	9) ANTA	
	l) Poomsae Uniform	Junior, Senior	10) SBI Sports	
	m) Double Kicking/Fan pad	Large	11) Trocellen Italia	
	n) Kicking Mitts(Makiwara)	Small, Medium	12) Fila	
	o) Kicking Shield	Large	13) MJI (JC)	
	p) Taekwondo Mat	12x12 Metre (25mm Thickness)	(WTF approved)	
	q) Dummy Kicking (Human)			
	r) Kicking Stand Up bag		N.A	
	s) Taekwondo Kicking Stance			
	t) Exercise resistance band			
	<b>Electronic Equipment</b>			
	a) Electronic Scoring machine	Full Set		
	b) E-Foot Guard	small, medium		
	c) E-Head Guard	small, medium		
	d) E-Chest Guard	small, medium		
	e) Monitors/LCD	Large		
	f) Mat (WTF Approved) Octagon	12x12 Metre		



16	<b>UNIFORM SET (Best Quality)</b>				
	a) Football	Large	N.A		
		Small			
	b) Volleyball	Large	N.A		
		Small			
	c) Hockey	Large	Rakshak		
		Small			
	d) Basketball	Large	N.A		
		Small			
	e) Badminton	Short	N.A		
		Shirt			
	g) Shoe	Football	Star Impact		
			Nivia		
		Volleyball			
		Hockey Turf R.K	Rakshak		
		Basketball	N.A		
		Boxing	N.A		
		Badminton	YY		
			Li Ning		
		Spike	N.A		

17	<b>VOLLEYBALL</b>				
	a) Good quality for Tournament	Super Volley	Cosco		
		Spot Volley	Nivia		
	b) Normal for distribution	Spot Volley	Cosco		
		Twist	Nivia		
	c) Volleyball Net	Cotton	SLAF		
		Nylon			
	d) Antennae	Fibre	Nivia		
	e) Score Board	N.A	Nivia		
	f) Volleyball Post	N.A	Nivia		

18	<b>WEIGHTLIFTING</b>				
	a) Weightlifting Set (Women)	WFI	Eleiko		
	b) Training platform	WFI	Eleiko		
	c) Squat Rack	WFI	Eleiko		
	d) Rubber (3x1)	WFI	Eleiko		
	e) Weightlifting Box	WFI	Eleiko		
	f) Hyper Extension Back	WFI	Eleiko		
	g) Weightlifting Belt	Big	Shiv Naresh Sports		
		Small			
	h) Weightlifting shoe	Large	Shiv Naresh Sports		
		Medium			
		Small			
	i) Weightlifing Custom	Large	Shiv Naresh Sports		
		Medium			
		Small			

19	<b>WRESTLING</b>				
	a) Mat	42" x 42" WFI (3 Inches Thickness)	Esskay Sports		
	b) Dummy	Big	Esskay Sports		
		Small			
	c) Shoe	Large	Esskay Sports		
		Medium			
		Small			
	d) Wrestling custome	Large	Esskay Sports		
		Medium			
		Small			



20	WUSHU				
	a) Chest Guard	Large	USI		
		Medium			
		Small			
	b) Gloves	Large	USI		
		Medium			
		Small			
	c) Head Gear	Large	USI		
		Medium			
		Small			
	d) Leg Guard	Large	USI		
		Medium			
		Small			
	e) Punching Pad	WFI	N.A		
	f) Kick Pad	WFI	N.A		
	g) Kick Bag	WFI	N.A		
	h)Wushu Mat	WFI Shanshu Fight Length 8mt x Breadth 8mt (4 inches Thickness)			
		WFI Taulo Dance Length 14mt x Breadth 8mt (4 inches Thickness)			

KARATE					
--------	--	--	--	--	--

21	<b>A. Kumite</b>				
	a) Head Gear	KAI	USI (India) & Tokaido (Japan)		
	b) GI	KAI	USI (India) & Tokaido (Japan)		
	c) Chest Guard (Female)	KAI	USI (India) & Tokaido (Japan)		
	d) Body Protector	KAI	USI (India) & Tokaido (Japan)		
	e) Gum Shiled	KAI	USI (India) & Tokaido (Japan)		
	f) Corner Belt	KAI	USI (India) & Tokaido (Japan)		
	g) Gloves	KAI	USI (India) & Tokaido (Japan)		
	h) Shin cum Foot Pad	KAI	USI (India) & Tokaido (Japan)		
	<b>B. Kata</b>				
	a) Kata Gi	KAI	USI (India) & Tokaido (Japan)		
	b) Kata Corner Belt	KAI	USI (India) & Tokaido (Japan)		
	<b>C. Common</b>				
	a) Karate mats	12x12 Metres (1.5 Inches Thickness)	CMA Euipments India		
	b) Kicking Bag	KAI	CMA Euipments India		
	c) Kicking Pads	KAI	CMA Euipments India		

22	<b>AQUATICS</b>				
	a) Swimming Caps	SFI	Speedo & Decathlon		
	b) Swimming Goggles	SFI	Speedo & Decathlon		
	c) Earplugs	SFI	Speedo & Decathlon		
	d) High Absorbent Towels	SFI	Speedo & Decathlon		
	e) Swimming Costumes	SFI	Speedo & Decathlon		
	f) Marking Rope	SFI	Speedo & Decathlon		

23	<b>BODY BUILDING</b>				
	<b>A. Jumping Rope</b>				
	1) Jump Box		N.A		
	2) Hurdles		N.A		
	3) Rope (For Rope Climb)		N.A		
	4) Cone		N.A		
	5) Marker		N.A		
	6) Interlocking Mat	3x3 Feet (1 Inches Thickness)	N.A		

<b>ARM-WRESTLING</b>					
----------------------	--	--	--	--	--



24	a) Arm-Wrestling Table		USI Universal		
	b) Climbling Chalk		Kobo		
	c) Strap		Mazurenko		
	d) Standing Jack/Box		Lablink		

<b>INDIGENOUS</b>					
25	a) Insuknawr	Thingril suihmum	Local Made		
	b) Khanchhuk invuaktlak	a) Khanchhuk			
		b) Talhtum			
	c) Insaihruipawh	a) Hruizen			
		b) Darbah			
	d) Zopa Sairawkherh				
	e) Inbuan	Puan ven tur			
	f) Kalchhet				
	g) Inkawibah	Kawi			
	h) Tawlailir				

<b>KICKBOXING</b>					
26	a) MAT	IAKO 64 Feet Octagon (1:1/2 Inches Thickness)	USI		
	b) Boxing Gloves	8 oz & 10 oz	USI		
	c) Kick Bag		USI		
	d) Kick Pad		USI		
	e) Head Guard		USI		
	f) Shin Guard		USI		
	g) Chest Guard		USI		
	h) Protector		USI		
	i) Boxing Ring				

<b>POWERLIFTING</b>					
---------------------	--	--	--	--	--

27	a) Powerlifting weightplate		Challenge Company		
	b) Olympic bar		Challenge Company		
	c) Power rack/Cages		Challenge Company		
	d) Powerlifting Belt		Inzer & USI		
	e) Gym Floor mat		Challenge Company		
	f) Bench & Squat Rack (Combo)		Challenge Company		

28	<b>RIFLE</b>				
	a) 10 Meter Air Pistol	NRAI	<b>NRAI Approved Brands</b>		
	b) 10 Meter Air Rifle	NRAI	Styer, Walther, Pericohole,		
	c) 25 Meter .22 Pistol	NRAI	Anchutz, Pardini, Morini,		
	d) 50 Meter .22 Peepsight Rifle	NRAI			
	e) Pellets .177	NRAI			
	f) Ammunition .22 LR	NRAI			

29	<b>SEPAKTAKRAW</b>				
	a) Sepaktakraw Ball	180 Grams	Marathon		
	b) Net		Marathon		
	c) Net Post	Badminton Net post	Stag		

30	<b>SNOOKER &amp; BILLIARDS</b>				
	<b>For Snooker</b>				
	a) Snooker Table Standard Size	BSFI	Sharmabilliards, New Delhi		
	b) Ball Set		Sharmabilliards, New Delhi		
	c) Triangle		Sharmabilliards, New Delhi		
	d) Cue		Sharmabilliards, New Delhi		
		a) Full Rest	Sharmabilliards, New Delhi		



30	e) Ancillary	b) Half Rest	Sharmabilliards, New Delhi		
		c) Spider Rest	Sharmabilliards, New Delhi		
		d) Swan Rest	Sharmabilliards, New Delhi		
		e)Cue Rest	Sharmabilliards, New Delhi		
		f) Rest Extension	Sharmabilliards, New Delhi		
	f) Chalk		Sharmabilliards, New Delhi		
	g) Powder		Sharmabilliards, New Delhi		
	h) Cue Leather Tips		Sharmabilliards, New Delhi		
	i) Players Gloves		Sharmabilliards, New Delhi		
	j) Electronic/Manual Score Board		Sharmabilliards, New Delhi		
	<b>For Pool</b>				
	a) American Pool Table Standard Size	BSFI	Sharmabilliards, New Delhi		
	b) Ball set		Sharmabilliards, New Delhi		
	c) Triangle		Sharmabilliards, New Delhi		
	d) Ancillary	a) Full Rest	Sharmabilliards, New Delhi		
		b) Half Rest	Sharmabilliards, New Delhi		
		c) Spider Rest	Sharmabilliards, New Delhi		
		d) Swan Rest	Sharmabilliards, New Delhi		
		e)Cue Rest	Sharmabilliards, New Delhi		
		f) Rest Extension	Sharmabilliards, New Delhi		
	e) Chalk		Sharmabilliards, New Delhi		
	f) Powder		Sharmabilliards, New Delhi		
	g) Cue Leather Tips		Sharmabilliards, New Delhi		
	h) Players Gloves		Sharmabilliards, New Delhi		
	i) Electronic/Manual Score Board		Sharmabilliards, New Delhi		

## TENNIS

31	a) Racket	Head 360 Speed Mp Grip Size- 4 3/8 Weight 300 grms	Head		
	b) Ball	Head Tour			
	c) Tennis Net	Tourny Hub	Tennis hub		

32	<b>TUG OF WAR</b>				
	a)Rope	TWIF Rules 10 to 12.5 Centimeter in diameter at least 33.5 meters Long	N.A		

33	<b>MUAYTHAI</b>				
	a) Muaythai Gloves	UMAI	UMAI Approved Brands		
	b) Head Guard	UMAI	1) USI Universal		
	c) Shin Guard	UMAI	2) Wesing		
	d) Elbow Guard	UMAI	3) FBT		
	e) Chest guard	UMAI	4) MTG		
	f) Mouth Guard	UMAI	5) Dragon		
	g) Groin Guard	UMAI			
	h) Handwrap	UMAI			
	i) 24'x24' Boxing Ring	UMAI			

34	<b>COMMON MATERIALS</b>				
	1) Stop Watch		N.A		
	2) Lime		N.A		
	3) Skipping Rope		N.A		
	4) Measuring Tape		N.A		
	5) Dump Bell		N.A		

34	6) Track suit	(India & Foreign)	N.A		
	7) Hand Pump		N.A		
	8) Cone		N.A		
	9) Whistle		N.A		
	10) Bibs		N.A		
	11) Weighing Machine		N.A		
	12) Medal (Gold Silver, Bronze)	2 1/2 inches	N.A		
	13) Crepe bandage	2 inches	N.A		
	14) Rubber Resistant Band	Large	N.A		
		Small	N.A		
	15) Speed ladder		N.A		
	16) Bar Bell	4 Kg	N.A		
		8 Kg	N.A		
	17) Medicine Ball	1 Kg	N.A		
		2 Kg	N.A		
		4 kg	N.A		
	18) Corner Flag		N.A		
	19) Jersey	Football, Volleyball, Basketball, etc	N.A		
	20) Substitution Board		N.A		
	21) Score Board		N.A		
	22) Chinese Checker		N.A		
	23) Draught Board		N.A		
	24) Dart Throw with Pin		N.A		
	25) Trophy	N.A.	N.A		
	26) Shoes	Athletic, Badminton, Football, Basketball, etc	N.A		
	27) Speed Ball		N.A		
	28) Sport Bag		N.A		
	29) Referee Uniform		N.A		
	30) Grip		N.A		
	31) Mattress	3x6 Feet	NA		
	32) Sports T-Shirt		NA		
	33) Ball Cage (with Wheels)	24 balls capacity & 36 balls capacity	STAG		
	34) Yoga Mat	Strong	NA		



### 35. GYM EQUIPMENT

	Models	Specifications	Quoted Rate (per no./piece/mtr.) in Rupees	Amount in words
1) Treadmill	Commercial Treadmill (Heavy Duty)	1) AC Driving System with adjustable variable frequency		
		2) Motor: < 4.0 HP/BHP AC Continuous		
		3) Running Surface : < 20" x >70"		
		4) Speed: 1.5 ~ 25 km/h.		
		5) Incline : 0~25%.		
		6) Maximum User weight : 250KGs		
		7) Display : LCD/ LED, time, speed, distance, incline, calories & heart rate.		
		8) Heavy Duty Running Belt		
		<b>PREFERABLE</b>		
		a) Direct Speed & incline keys on the console.		
		b) Various motivating programs for different workout requirements.		
		c) Double phenolic heavy cushioned deck for excellent shock absorption that provides suitable push of to reduce the possibility of any type of injury to knees and joints.		
		d) Heavy duty 4.5mm thick realible orthopaedic running belt		
		e) Emergency stop button.		
		f) Built in speaker		
		g) sweat proof console design		
		h) Two cup/ Bottle Holders		

	Models	Specifications	Quoted Rate (per no./piece/mtr.) in Rupees	Amount in words
1) Treadmill	Light Commercial Treadmill	1) AC Driving System with adjustable variable frequency		
		2) Motor: < 3.0 HP/BHP AC Continuous		
		3) Running Surface: <20"x >70"		
		4) Speed : 1.0 ~ 20 km/hr		
		5) Incline : 0 ~ 20%		
		6) Maximum User Weight : 200 KGs		
		7) Display: Time, speed, distance, incline, heart rate & calories		
		8) Heavy Duty Running Belt		
		<b>PREFERABLE</b>		
		a) Shock Absortion		
		b) MP3 System		
		c) Quick button for Speed, incline, programme, system settings, etc		
		d) Bottle Holder		

1) Treadmill	Motorised Treadmill	1) AC Driving System with adjustable variable frequency		
		2) Motor: < 2.5 HP/BHP AC Continuous		
		3) Running Surface: <20"x > 60"		
		4) Speed : 1.0 ~ 20 km/hr		
		5) Incline : 0 ~ 15%		
		6) Maximum User Weight : 110 ~150 KGs		
		7) Display: Time, speed, distance, incline, heart rate & calories		
		<b>PREFERABLE</b>		
		a) Shock Absortion		
		b) MP3 System		
		c) Quick button for Speed, incline, programme, system settings, etc		
		d) Bottle Holder		

2) Elliptical Trainer (Cross Trainer)	Models	Specifications	Quoted Rate (per no./piece/mtr.) in Rupees	Amount in words
	Commercial Grade	a) Display/ Monitor (LED): Heart Rate, multi readouts result every minute, time, distance,calories, watt & mets achived		
		b) Two Stage Drive		
		c) Resistance: < 25 Level		
		d) Programs: < 14 ( Manual Preset, HRC <4)		
		e) Maximum User Weight: < 180 KGs		
		f) Striding distance: 500 mm (20")		
		g) Self powered generator		
		h) Large (Universal) and Impact absorbing Pedals		
		i) Balance Weight Foot Plate		
		j) Sweat proof console		
	Light Commercial	a) Display/ Monitor (LCD): Heart Rate, multi readouts result every minute, time, distance,calories, watt & mets achived		
		b) Two Stage Drive		
		c) Resistance: < 16 Level		
		d) Programs: < 14 ( Manual Preset, HRC <4)		
		e) Maximum User Weight: < 150 KGs		
		f) Striding distance: 500 mm (20")		
		g) Self powered generator		
		h) Large (Universal) and Impact absorbing Pedals		
		i) Balance Weight Foot Plate		
		j) Sweat proof console		



	Models	Specifications	Quoted Rate (per no./piece/mtr.) in Rupees	Amount in words
3) Upright Bike	Commercial Grade	a) Display/Monitor LED: Time, Distance, RPM, Speed, Level, Calories, Pulse & watts		
		b) Drive. One Stage Drive with poly V belt		
		c) Resistance level: 36 Levels.		
		d) Programs: < 14 (including Manual, atleast 4 HRC		
		e) Maximum User Weight: < 180 KGs		
		<b>PREFERABLE</b>		
		1) Various seat height levels easily adjusted by knob ball while being seated		
		2) ergonomic stationary handle bars with adjustable arm pads		
		3) Handheld pulse sensor		
		4) Adjustable pedal straps		
		5) 3 piece cranks		
		6) Transports wheels		
		7) Built-in Speakers & Ipad/MP3 auxilliary jack		
		8) Mobile Phone charging station		
		9) High Speed circulation fan that allows the user to stay cool during workout.		
		10) Accessory tray, built-in reading rack		
		11) Adjustable floor levelers		
		12) Built-in receiver.		

	Models	Specifications	Quoted Rate (per no./piece/mtr.) in Rupees	Amount in words
3) Upright Bike	Light Commercial Grade	a) Display/Monitor LED: Time, Distance, RPM, Speed, Level, Calories, Pulse & watts		
		b) Drive: One/Two Stage Drive with poly V belt		
		c) Resistance level: 36 Levels.		
		d) Programs: < 12 (including Manual, atleast 4 HRC		
		e) Maximum User Weight: < 150 KGs		
		<b>PREFERABLE</b>		
		1) Various seat height levels easily adjusted by knob ball while being seated		
		2) Ergonomic stationary handle bars with adjustable arm pads		
		3) Handheld pulse sensor		
		4) Adjustable pedal straps		
		5) 2/3 piece cranks		
		6) Transports wheels		
		7) Built-in Speakers & Ipod/MP3 auxilliary jack		
		8) Mobile Phone charging station		
		9) High Speed circulation fan that allows the user to stay cool during workout.		
		10) Accessory tray, built-in reading rack		
		11) Adjustable floor levelers		
		12) Built-in receiver.		

L = Length, W = Width, H = Height

		Specifications	Quoted Rate (per no./piece/mtr.) in Rupees	Amount in words
4) Leg Press Machine		1) LXWXH: 206 X 112 X 148.5 CM.		
		2) Weight stack: 70~ 90 KGs		
5) Leg Curl/Extension Machine		1) LXWXH: 142 X 113 X 148.4 CM.		
		2) Weight Stack: 90 ~ 100 KGs		
		1) LXWXH: 148 X 120.5 X 149 CM		
		2) Weight Stack: 90 ~ 100 KGs		
6) Arm Curl Machine		1) LXWXH: 137 X 117 X 148.5 CM.		
		2) Weight Stack: 60 ~ 80 KGs		
7) Pec Dec Fly/Rear Delt		1) LXWXH: 166 X 129 X 200 CM.		
		2) Weight Stack: 90 ~ 100 KGs		
8) Chin Dip Machine		1) LXWXH: 122 X 136 X 220 CM.		
		2) Weight Stack: 90~100 KGs		
9) Abdominal (AB) Machine		1) LXWXH: 136 X 105 X 148 CM.		
		2) Weight Stack: 100 ~ 150 KGs		
10) Lath Pull / Seated Row		1) LXWXH: 122 X 185 X 220 CM.		
		2) Weight Stack: 100 ~ 150 KGs		
11) Weightlifting Bar	Challenge (India) Eleiko (Foreign) Ueseka (Foreign)	Heavy Duty Olympic Bar		



<b>12) Rubber Coated Dolid Dumbbell</b>		2.5 KGs - 50 KGs Tear Proof, Soundless & Bouncy	<b>Quoted Rate</b> (per no./piece/mtr.) in Rupees	<b>Amount</b> <b>in words</b>
		<b>Specifications</b>		
<b>13) Dumbell Rack</b>		That can accommodate 12 set of Heavy Duty Design		
<b>14) Weight Plate / Bar Bell</b>		1.5 ~ 25 KG Solid Olympic Plate made of High GradeThermoplastic Rubber. Tear Proof, Soundless & Bouncy		
<b>15) Gym Ball</b>		Heavy Duty GymBall		
<b>16) Medicine Ball</b>		Heavy Duty Medicine ball ( 1~ 10KG)		
<b>17) Kettle Bell</b>		2 KGs - 32 KGs		

### 36. ADVENTURE EQUIPMENT

Adventure Equipment Any UIAA – (Union International Alpine Association), International Climbing and Mountaineering Federation, Certified brand / manufacturer accredited, such as Petzl, Camp, Beal, Salewa etc.)		Quoted Rate (per no./piece/mtr.) in Rupees	Amount in words
1) Rope 10.5 mm diameter	<b>Technical specifications:</b> Diameter : 10.5 mm semi-static rope Material(s) : polyester, nylon Certification(s) : CE EN 1891 type A, EAC, NFPA 1983 Technical Use Weight per meter : 75 g Strength tied with figure-eight knot : 15 kN Strength with sewn termination : 22 kN Impact force (factor 0,3) : 5,2 kN Number of factor 1 falls : 10 Construction : 32 carrier Percentage of sheath : 45 % Static elongation : 3,4 %		

<b>2) Rope 11 mm diameter</b>	<b>Technical specifications</b>  Diameter : 11 mm Material(s) : polyester, nylon Certification(s) : CE EN 1891 type A, EAC, NFPA 1983 Technical Use Weight per meter : 82 g Strength tied with figure-eight knot : 19 kN Strength with sewn termination : 22 kN Impact force (factor 0,3) : 5,2 kN Number of factor 1 falls : 12 Construction : 32 carrier Percentage of sheath : 41 % Static elongation : 3 %		
<b>3) Padded Seat Harness</b>	Padded Seat Harness, adjustable leg loops Material(s): high-strength polyester webbing, perforated closed-cell foam, polyester fabric Certification(s): CE, EN 12277 type C, UIAA 105		
<b>4) Non- Padded Seat Harness</b>	Non- Padded Harness, adjustable harness with equipment loop Material(s): polyester and Dyneema attachment point, nylon webbing Certification(s): CE, EN 12277 type C, UIAA 105		
<b>5) Non padded Full body harness</b>	Full body harness , Non- Padded, adjustable Material(s): high-strength polyester webbing Certification(s): CE, EN 12 277 type A, UIAA 105		



<b>6) Chest harness</b>	Non- Paded Adjustable chest harness for seat Harness Material(s): high-strength polyester webbing Certification(s): CE, EN 12277 type D, UIAA 105		
<b>7) Caving harness</b>	Caving harnesses CE, EN 12277 type C Material(s): attachment points in Dyneema <sup>®</sup> reinforced polyester, high-strength polyester webbing, TPU protection on leg loops, equipment loops Certification(s): CE, EN 12277 type C		
<b>8) GriGri 2 Belay device with assisted braking</b>	For descending on a single or doubled rope. EAN code 3342540010499		
<b>9) Descender – Huite</b>	Square shape to reduce twisting of the ropes and formation of a girth hitch High-strength forged aluminum Small hole can be used with thin ropes if necessary, or as a belay plate  Material(s) : aluminum Weight : 100 g Rope compatibility : for use on 8 - 13 mm diameter ropes		

<b>10) Belay Device – Petzl Stop</b>	Assisted-braking descender for caving  Material(s) : aluminum side plate, stainless steel pulley and cam Weight : 350 g Rope compatibility : 8.5 to 11 mm low stretch kernmantel rope Certification(s) : CE EN 15151-1		
<b>11) Rope 9 mm Diameter</b>	Semi-static 10 mm diameter rope designed for caving and canyoning Diameter: 10 mm Certification(s): CE EN 1891 type A Breaking strength: 28 kN Strength tied with a figure eight knot: 16 kN Shock load (factor 0.3): 4.8 kN Number of factor 1.77 falls: 10 Weight per meter: 69 g Construction: 32 carrier Percentage of sheath: 47 % Static elongation: 3 %		

<b>12) Rope 10 mm Diameter</b>	Diameter : 10 mm Certification(s) : CE EN 1891 type A, UIAA Strength tied with figure-eight knot : 16 kN Impact force (factor 0,3) : 4,8 kN Number of factor 1 falls : 10 Weight per meter : 69 g Construction : 32 carrier Percentage of sheath : 41 % Static elongation : 3 %		
<b>13) Prusick Sling Semi-static rope</b>	These rugged and durable cords are for guiding a victim during rescue, or for hauling equipment.  6mm diametre, semi static Material(s) : nylon Certification(s) : CE EN 564		
<b>14) D-shaped screw locking carabiner</b>	Material(s) : aluminum Certification(s) : CE EN 12275 Locking System : SCREW LOCK Major axis strength : 27 kN Minor axis strength : 8 kN Open gate strength : 7 kN Gate opening : 25 mm		

<b>15) Oval Shape carabiner for use with pulleys and ascenders</b>	Material(s) : aluminum Certification(s) : CE EN 12275, UIAA Locking system : SCREW LOCK Major axis strength : 25 kN Minor axis strength : 8 kN Open gate strength : 7 kN Gate opening : 22 mm		
<b>16) Pear-shaped locking carabiner</b>	Large, pear-shaped locking carabiner for belay stations and belaying with a Munter hitch  Material(s) : aluminum Certification(s) : CE EN 12275 Locking system : SCREW-LOCK Major axis strength : 27 kN Minor axis strength : 8 kN Open gate strength : 8 kN Gate opening : 28 mm		
<b>17) Quickdraw</b>	Versatile carabiner for sport climbing, available in straight and bent gate versions Material(s): aluminum Certification(s): CE EN 12275 type B, UIAA		
<b>18) Plain Carabiner</b>	Material(s): aluminum Certifi cation(s): CE EN 12275 type B, UIAA		

<b>19) Jumar</b>	<b>Jumar - ASCENSION Pair (Left )</b>	Material(s) : aluminum, stainless steel, plastic, rubber, nylon Weight : 165 g Rope compatibility : 8 to 13 mm Certification(s) : CE EN 567, CE EN 12841 type B, EAC, NFPA 1983 Technical Use		
	<b>Jumar - ASCENSION Pair (Right )</b>	Material(s) : aluminum, stainless steel, plastic, rubber, nylon Weight : 165 g Rope compatibility : 8 to 13 mm Certification(s) : CE EN 567, CE EN 12841 type B, EAC, NFPA 1983 Technical Use		
<b>20) SHUNT</b>		Material(s): stainless steel Rope compatibility: 8 to 11 mm Certification(s): CE EN 567, UIAA		
<b>21) TIBLOC Ultra- light emergency ascender</b>		Material(s) : stainless steel Weight : 35 g Rope compatibility : 8 to 11 mm Certification(s) : CE EN 567, UIAA		



<b>22) PRO TRAXION</b>	Min. rope diameter: 8 mm Max. rope diameter: 11 mm Sheave type: sealed ball bearings Sheave diameter: 25 mm Efficiency: 91 % Working load: 2 x 2.5 kN Breaking strength: 7.5 x 2 kN Working load as progress capture pulley: 2.5 kN Breaking strength as progress capture pulley: 4 kN Certification(s): CE EN 567, UIAA		
<b>23) PARTNER Compact pulley with swinging side plates</b>	Min. rope diameter: 7 mm Max. rope diameter: 13 mm Sheave diameter: 38 mm Efficiency: 95 % Working load: 8 kN (4 kN on one rope end) Breaking strength: 36 kN Material(s): aluminum side plates, aluminum sheave Certification(s): CE EN 12278, UIAA		
<b>24) Single Rescue Pulley High-strength pulley with swinging side plates</b>	Product specifications Min. rope diameter: 7 mm Max. rope diameter: 13 mm Sheave type: self-lubricating bushings Sheave diameter: 21 mm Efficiency: 71 % Working load: 5 kN (2.5 kN on one rope end) Breaking strength: 23 kN Material(s): aluminum side plates, aluminum sheave Certification(s): CE EN 12278, UIAA		

<b>25) Pulley with fixed side plates</b>	Min. rope diameter: 7 mm Max. rope diameter: 11 mm Sheave diameter: 25 mm Efficiency: 91 % Working load: 6 kN (1.5 kN on one rope end) Breaking strength: 23 kN Material(s): aluminum side plates, aluminum sheave Certification(s): CE EN 12278, UIAA		
<b>26) Double Prusik pulley</b>	Max. rope diameter: 13 mm Sheave diameter: 21 mm Efficiency: 71 % Working load: 10 kN Breaking strength: 24 kN Certification(s): CE EN 12278, UIAA		
<b>27) Tandem transport pulley for Rope</b>	Reference : P21 Weight : 195 g Max. rope diameter : 13 mm Sheave diameter : 21 mm Efficiency : 71 % Working load : 10 kN Breaking strength : 24 kN Guarantee : 3 years Inner pack count : 1		

<b>28) Tandem cable for Speed zipline Rope and Cable</b> <b>Specifications reference</b>	Reference : P21 SPE Weight : 270 g Max. rope diameter : 13 mm Max. cable diameter : 12 mm Sheave type : sealed ball bearings Sheave diameter : 27,5 mm Efficiency : 95 % Working load : 10 kN Breaking strength : 24 kN Guarantee : 3 years Inner pack count : 1		
<b>29) Single positioning lanyard with adjustable arm</b>	Fixed arm length: 45 cm Adjustable arm length: 15 to 95 cm Certification(s): CE Material(s): nylon, aluminum, thermoplastic elastomer (TPE)		
<b>30) Double positioning lanyard with one fixed arm and one adjustable arm</b>	Material(s): nylon webbing Certification(s): CE, UIAA		
<b>31) Asymmetric double lanyard</b> <b>Lanyard designed to help pass re belays when caving or canyoning</b>	Semi-hardened steel forged piton. Piton for thin, parallel-sided cracks in limestone or granite. Material(s): steel Type(s): P Certification(s): CE		

<b>32) Rock Pitton</b>	Ball bearing swivel positioned between the rope and the load, the swivel allows the load to turn without twisting the rope. Breaking strength: 23 kN Working load: 5 kN Certification(s): CE, EAC		
<b>33) SWIVEL S (Petzl)</b>	Material(s): Alluminum Breaking strength: 36 kN Certification(s): CE		
<b>34) PAW S Rigging plate</b>	Material(s): Alluminium Breaking Strength : 36 kN Certification(s) : CE, NFPA		
<b>35) Chalk bag</b>	Material(s) : nylon, polyester		
<b>36) Chalk Powder</b>	Material(s) : isopropyl alcohol, magnesium hydroxide carbonate, rosin, hydroxypropyl cellulose, styrax benzoin Eco-friendly product		
<b>37) Rescue Stretcher</b>	Material(s) : goat skin leather, stretch nylon Certifi cation(s): CE EN 420, CE EN 388 (3133)		
<b>38) Rappelling Mittens</b>	Material(s) : Hard Clothes Indian made		

<b>39) Etrier - Footape</b>	Technical specifications Adjustable webbing foot loop Material(s) : nylon		
<b>40) Rig</b>	Min. rope diameter: 10 mm Max. rope diameter: 11,5 mm Weight: 530 g Certification(s): EN 341 classe A, CE EN 12841 type C, ANSI Z359.4, NFPA 1983 Technical Use, EAC		
<b>41) I'DS</b>	Self-braking descender with anti-panic function Rope compatibility : 10 to 11.5 mm Descending a heavy load up to 250 kg		
<b>42) I'DL</b>	Self-braking descender Self-braking descender with anti-panic function for rescue Descending a heavy load up to 280 kg Rope compatibility: 12.5 to 13 mm diameter		
<b>43) SHUNT</b>	Intended for moving on fixed ropes (as a back-up belay), for hauling heavy loads, and as a progress capture device in hauling systems		
<b>44) RESCUCENDER Rope clamp / grab</b>	Material(s): aluminum, stainless steel, nylon Weight: 260 g Certification(s): CE EN 567, CE EN 12841 type B, EAC, NFPA 1983 Technical Use Rope compatibility: 9-13 mm		



<b>45) Semi-static 9 mm diameter rope</b>	Diameter : 9 mm Certification(s) : CE EN 1891 type B, UIAA Strength tied with figure-eight knot : 12 kN Impact force (factor 0,3) : 4 kN Number of factor 1 falls : 9 Weight per meter : 56 g Construction : 32 carrier Percentage of sheath : 45 % Static elongation : 3,5 %		
<b>46) Dynamic Rope for Sport Climbing</b>	Material(s): 1. UIAA Certified 2. 8 - 9 mm		
<b>47) PA Shoes for Sport Climbing</b>	Specification(s): 1. Lace-up 2. Strap 3. Slip-on		
<b>48) Sport Climbing Holds</b>	International Federation of Sports Climbing(IFSC) Certified climbing holds		
<b>49) Tent</b>	Specification(s): Double Layer Ridge Tent, 6men & 4men		
<b>50) Tent Mat / Carry Mat</b>	Specification(s): Insulated, 10mm thickness, 2 by 6 feet		